(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

CORRECTED VERSION

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 15 July 2004 (15.07.2004)

PCT

(10) International Publication Number WO 2004/058550 A2

(51) International Patent Classification7:

B60T

(21) International Application Number:

PCT/US2003/040096

(22) International Filing Date:

16 December 2003 (16.12.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:


16 December 2002 (16.12.2002)	US
21 January 2003 (21.01.2003)	US
10 March 2003 (10.03.2003)	US
29 October 2003 (29.10.2003)	US
20 November 2003 (20.11.2003)	US
	21 January 2003 (21.01.2003) 10 March 2003 (10.03.2003) 29 October 2003 (29.10.2003)

- (71) Applicant and
- (72) Inventor: WALKER, Frank, H. [US/US]; 8087 Hawkcrest Drive, Grand Blanc, MI 48439 (US).

- (74) Agent: MALOOLEY, Marc, F.; Brooks & Kushman, 1000 Town Center, Twenty-Second Floor, Southfield, MI 48075 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: HYDRAULIC REGENERATIVE BRAKING SYSTEM FOR A VEHICLE



(57) Abstract: A hydraulic regenerative braking system for a vehicle is provided. The system includes two hydraulic machines, each of which is disposed proximate a corresponding vehicle wheel. A transformer is in communication with each of the hydraulic machines, and with a pair of accumulators. Each of the hydraulic machines is operable as a pump, pumping fluid to at least one of the accumulators when the vehicle is braking. Each of the hydraulic machines is also operable as a motor, receiving pressurized fluid and transferring torque to the vehicle wheels. The transformer is operable to vary the pressure of the fluid received by the hydraulic machines.





WO 2004/058550 A2

| CONTRACTOR | CONT

Published:

- without international search report and to be republished upon receipt of that report
- (48) Date of publication of this corrected version: 21 October 2004

(15) Information about Correction:

see PCT Gazette No. 43/2004 of 21 October 2004, Section Π

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property **Organization**

International Bureau



(43) International Publication Date 15 July 2004 (15.07.2004)

PCT

(10) International Publication Number WO 2004/058550 A3

(51) International Patent Classification7:

B60T 8/64

(21) International Application Number:

PCT/US2003/040096

(22) International Filing Date:

16 December 2003 (16.12.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

z i ioi ity Dutu.		
60/433,566	16 December 2002 (16.12.2002)	US
60/441,194	21 January 2003 (21.01.2003)	US
60/452,714	10 March 2003 (10.03.2003)	US
60/514,983	29 October 2003 (29.10.2003)	US
60/523,337	20 November 2003 (20.11.2003)	US

- (71) Applicant and
- (72) Inventor: WALKER, Frank, H. [US/US]; 8087 Hawkcrest Drive, Grand Blanc, MI 48439 (US).
- (74) Agent: MALOOLEY, Marc, F.; Brooks & Kushman, 1000 Town Center, Twenty-Second Floor, Southfield, MI 48075 (US).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report


(88) Date of publication of the international search report:

16 December 2004

(15) Information about Correction:

[Continued on next page]

(54) Title: HYDRAULIC REGENERATIVE BRAKING SYSTEM FOR A VEHICLE



fluid to at least one of the accumulators when the vehicle is braking. Each of the hydraulic machines is also operable as a motor, receiving pressurized fluid and transferring toque to the vehicle wheels. The transformer is operable to vary the pressure of the fluid received by the hydraulic machines.





Previous Correction:

see PCT Gazette No. 43/2004 of 21 October 2004, Section Π

INTERNATIONAL SEARCH REPORT

International application No..

PCT/US03/40096

IPC(7)							
	US CL : 303/152,151 According to International Patent Classification (IPC) or to both national classification and IPC						
	DS SEARCHED	ational classification and IPC					
Minimum documentation searched (classification system followed by classification symbols) U.S.: 303/152,151							
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched							
Electronic da	ta base consulted during the international search (nar	ne of data base and, where practicable, s	earch terms used)				
C. DOC	UMENTS CONSIDERED TO BE RELEVANT						
Category *	Citation of document, with indication, where ap		Relevant to claim No.				
x	US 4,993,780 A (TANAKA et al) 19 Feb. 1991 (19)	.02.1991) figure 4 pump/motor 2,	1,20				
т	transformer 10, accumulators 11,12 US 6,719,080 B1 (GRAY, JR.)		1,20				
A	US 4,883,141 A (WALKER) 28 Nov. 1989 (28.11.	1989)					
A	US 6,033,040 A (INAGAKI et al)	'					
		•					
	'	'					
	documents are listed in the continuation of Box C.	See patent family annex.					
	pecial categories of cited documents: defining the general state of the art which is not considered to be	"T" later document published after the inte date and not in confilet with the applic principle or theory underlying the inve	ation but cited to understand the				
of particu	lar relevance	"X" document of particular relevance; the	claimed invention cannot be				
•	plication or patent published on or after the international filing date which may throw doubts on priority claim(s) or which is cited to	considered novel or cannot be conside when the document is taken alone	red to involve an inventive step				
establish (specified)	the publication date of another citation or other special reason (as	"Y" document of particular relevance; the considered to involve an inventive step combined with one or more other suck	when the document is				
"O" document	referring to an oral disclosure, use, exhibition or other means	being obvious to a person skilled in th	e art				
	published prior to the international filing date but later than the ate claimed	"&" document member of the same patent	·				
	Date of the actual completion of the international search 27 June 2004 (27.06.2004) Date of mailing of the international search report 21 SEP 2004						
	ailing address of the ISA/US	Authorized officer					
Mai Con	I Stop PCT, Attn: ISA/US nmissioner for Patents	I: ISA/US					
P.O. Box 1450 Alexandria, Virginia 22313-1450 Facsimile No. (703) 305-3230 Telephone No. (703) 308-1113							

Form PCT/ISA/210 (second sheet) (July 1998)

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

CORRECTED VERSION

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 15 July 2004 (15.07.2004)

PCT

(10) International Publication Number WO 2004/058550 A3

(51) International Patent Classification⁷:

B60T 8/64

(21) International Application Number:

PCT/US2003/040096

(22) International Filing Date:

16 December 2003 (16.12.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/433,566	16 December 2002 (16.12.2002)	US
60/441,194	21 January 2003 (21.01.2003)	US
60/452,714	10 March 2003 (10.03.2003)	US
60/514,983	29 October 2003 (29.10.2003)	US
60/523,337	20 November 2003 (20.11.2003)	US

- (71) Applicant and
- (72) Inventor: WALKER, Frank, H. [US/US]; 8087 Hawkcrest Drive, Grand Blanc, MI 48439 (US).


- (74) Agent: MALOOLEY, Marc, F.; Brooks & Kushman, 1000 Town Center, Twenty-Second Floor, Southfield, MI 48075 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declaration under Rule 4.17:

- of inventorship (Rule 4.17(iv)) for US only

[Continued on next page]

(54) Title: HYDRAULIC REGENERATIVE BRAKING SYSTEM FOR A VEHICLE



(57) Abstract: A hydraulic regenerative braking system for a vehicle is provided. The system includes two hydraulic machines (22, 24), each of which is disposed proximate a corresponding vehicle wheel (14, 16). a transformer (32) is in communication with each of the hydraulic machines, and with a pair of accumulators (30, 34). Each of the hydraulic machines is operable as a pump, pumping fluid to at least one of the accumulators when the vehicle is braking. Each of the hydraulic machines is also operable as a motor, receiving pressurized fluid and transferring toque to the vehicle wheels. The transformer is operable to vary the pressure of the fluid received by the hydraulic machines.



WO 2004/058550 A3



Published:

with international search report

(88) Date of publication of the international search report: 16 December 2004

(48) Date of publication of this corrected version: 19 May 2005

(15) Information about Corrections:

see PCT Gazette No. 20/2005 of 19 May 2005, Section II Previous Correction:

see PCT Gazette No. 43/2004 of 21 October 2004, Section II

WO 2004/058550 A2